

Schirmtyp: **BALANCE** Größe: **280 / ST**

ROT=von unten gemessen

Leinentyp: **00148-0344**

A1:

Casc. A1:

A3:

Casc. A3:

A5:

Casc. A5:

A: **424**

Casc. A: **144** **280**

B: **155** **B 435**

C1:

Casc. C1:

C3:

Casc. C3:

C5:

Casc. C5:

C: **459**

Casc. C: **123** **336**

D: **155** **D 491**

UC1: **130** **523**

LC:	 330	Leinentyp
	393	10380-0900 rot

UC2: **130** **523**

TG:	 63	Leinentyp
		10380-0900 rot

UC3: **130** **523**

Haupt-LC:		Leinentyp

UC4:

Haupt-TG:		Leinentyp

UC5: **130** **523**

Flare-LC:		Leinentyp

UC6:

Flare-TG:		Leinentyp

UC7:

Ausgabe / Revision	1				ID-Nr.
Datum	04-2004				LPE - 10 / 20 - FB
Erstellt	Rokobauer				
Geprüft u. genehmigt	Schumann				

Schirmtyp: **BALANCE** Größe: **260 / ST**

ROT=von unten gemessen

Leinentyp: **00148-0344**

A1:

Casc. A1:

A3:

Casc. A3:

A5:

Casc. A5:

A: **398**

Casc. A: **135** **263**

B: **146** **B 409**

C1:

Casc. C1:

C3:

Casc. C3:

C5:

Casc. C5:

C: **433**

Casc. C: **114** **319**

D: **146** **D 465**

UC1: **125** **488**

LC:	 300	Leinentyp
	363	10380-0900 rot

UC2: **125** **488**

TG:	 63	Leinentyp
		10380-0900 rot

UC3: **125** **488**

Haupt-LC:		Leinentyp

UC4:

Haupt-TG:		Leinentyp

UC5: **125** **488**

Flare-LC:		Leinentyp

UC6:

Flare-TG:		Leinentyp

UC7:

Ausgabe / Revision	1				ID-Nr.
Datum	04-2004				LPE - 10 / 20 - FB
Erstellt	Rokobauer				
Geprüft u. genehmigt	Schumann				

Schirmtyp: **BALANCE** Größe: **230 / ST**

ROT=von unten gemessen

Leinentyp: **00148-0344**

A1:

Casc. A1:

A3:

Casc. A3:

A5:

Casc. A5:

A: **377**

Casc. A: **128**

249

B: **138** **B** **387**

C1:

Casc. C1:

C3:

Casc. C3:

C5:

Casc. C5:

C: **409**

Casc. C: **108**

301

D: **138** **D** **439**

UC1: **120** **468**

LC:	 295	10380-0900 rot
	348	

UC2: **120** **468**

TG:	 53	10380-0900 rot
------------	--	-----------------------

UC3: **120** **468**

Haupt-LC:		
------------------	--	--

UC4:

Haupt-TG:		
------------------	--	--

UC5: **120** **468**

Flare-LC:		
------------------	--	--

UC6:

Flare-TG:		
------------------	--	--

UC7:

Ausgabe / Revision	1				ID-Nr.
Datum	04-2004				LPE - 10 / 20 - FB
Erstellt	Rokobauer				
Geprüft u. genehmigt	Schumann				

Schirmtyp: **BALANCE** Größe: **210 / ST**

ROT=von unten gemessen

Leinentyp: **00148-0344**

A1:

Casc. A1:

A3:

Casc. A3:

A5:

Casc. A5:

A: **365**

Casc. A: **123** **242**

B: **133** **B 375**

C1:

Casc. C1:

C3:

Casc. C3:

C5:

Casc. C5:

C: **395**

Casc. C: **105** **290**

D: **133** **D 423**

UC1: **115** **448**

LC:	<u> 280 </u>	Leinentyp
	333	<u>10380-0900 rot</u>

UC2: **115** **448**

TG:	<u> 53 </u>	Leinentyp
		<u>10380-0900 rot</u>

UC3: **115** **448**

Haupt-LC:	<u> </u>	Leinentyp
		<u> </u>

UC4:

Haupt-TG:	<u> </u>	Leinentyp
		<u> </u>

UC5: **115** **448**

Flare-LC:	<u> </u>	Leinentyp
		<u> </u>

UC6:

Flare-TG:	<u> </u>	Leinentyp
		<u> </u>

UC7:

Ausgabe / Revision	1				ID-Nr.
Datum	04-2004				LPE - 10 / 20 - FB
Erstellt	Rokobauer				
Geprüft u. genehmigt	Schumann				

Schirmtyp: **BALANCE** Größe: **190 / ST**

ROT=von unten gemessen

Leinentyp: **00148-0344**

A1:

Casc. A1:

A3:

Casc. A3:

A5:

Casc. A5:

A: **366**

Casc. A: **124**

242

B: **135** **B** **377**

C1:

Casc. C1:

C3:

Casc. C3:

C5:

Casc. C5:

C: **396**

Casc. C: **108**

288

D: **135** **D** **423**

UC1: **104** **450**

LC:	 293	Leinentyp
	346	10380-0900 rot

UC2: **104** **450**

TG:	 53	Leinentyp
		10380-0900 rot

UC3: **104** **450**

Haupt-LC:		Leinentyp

UC4:

Haupt-TG:		Leinentyp

UC5: **104** **450**

Flare-LC:		Leinentyp

UC6:

Flare-TG:		Leinentyp

UC7:

Ausgabe / Revision	1				ID-Nr.
Datum	04-2004				LPE - 10 / 20 - FB
Erstellt	Rokobauer				
Geprüft u. genehmigt	Schumann				

Schirmtyp: **BALANCE** Größe: **170 / ST**

ROT=von unten gemessen

Leinentyp: **00148-0344**

A1:

Casc. A1:

A3:

Casc. A3:

A5:

Casc. A5:

A: **348**

Casc. A: **118**

230

B: **128** **B** **358**

C1:

Casc. C1:

C3:

Casc. C3:

C5:

Casc. C5:

C: **376**

Casc. C: **103**

273

D: **128** **D** **401**

UC1: **102** **435**

	Leinentyp
LC: 280	10380-0900 rot
333	
TG: 53	10380-0900 rot
Haupt-LC: 	
Haupt-TG: 	
Flare-LC: 	
Flare-TG: 	

UC2: **102** **435**

UC3: **102** **435**

UC4:

UC5: **102** **435**

UC6:

UC7:

Ausgabe / Revision	1				ID-Nr.
Datum	04-2004				LPE - 10 / 20 - FB
Erstellt	Rokobauer				
Geprüft u. genehmigt	Schumann				

Schirmtyp: **BALANCE** Größe: **280 / SP**

ROT=von unten gemessen

Leinentyp: **41000-1500**

A1:

Casc. A1:

A3:

Casc. A3:

A5:

Casc. A5:

A: **424**

Casc. A: **144** **280**

B: **155** **B 435**

C1:

Casc. C1:

C3:

Casc. C3:

C5:

Casc. C5:

C: **459**

Casc. C: **123** **336**

D: **155** **D 491**

UC1: **130** **523**

LC: 330	Leinentyp
393	DC000-0320

UC2: **130** **523**

TG: 63	DC000-0320
---	-------------------

UC3: **130** **523**

Haupt-LC:

UC4:

Haupt-TG:

UC5: **130** **523**

Flare-LC:

UC6:

Flare-TG:

UC7:

Ausgabe / Revision	1				ID-Nr.
Datum	04-2004				LPE - 10 / 20 - FB
Erstellt	Rokobauer				
Geprüft u. genehmigt	Schumann				

Schirmtyp: **BALANCE** Größe: **260 / SP**

ROT=von unten gemessen

Leinentyp: **41000-1500**

A1:

Casc. A1:

A3:

Casc. A3:

A5:

Casc. A5:

A: **398**

Casc. A: **135** **263**

B: **146** **B 409**

C1:

Casc. C1:

C3:

Casc. C3:

C5:

Casc. C5:

C: **433**

Casc. C: **114** **319**

D: **146** **D 465**

UC1: **125** **488**

LC:	 300	Leinentyp
	363	DC000-0320

UC2: **125** **488**

TG:	 63	DC000-0320
------------	--	-------------------

UC3: **125** **488**

Haupt-LC:		
------------------	--	--

UC4:

Haupt-TG:		
------------------	--	--

UC5: **125** **488**

Flare-LC:		
------------------	--	--

UC6:

Flare-TG:		
------------------	--	--

UC7:

Ausgabe / Revision	1				ID-Nr.
Datum	04-2004				LPE - 10 / 20 - FB
Erstellt	Rokobauer				
Geprüft u. genehmigt	Schumann				

Schirmtyp: **BALANCE** Größe: **230 SP**

ROT=von unten gemessen

Leinentyp: **41000-1500**

A1:

Casc. A1:

A3:

Casc. A3:

A5:

Casc. A5:

A: **377**

Casc. A: **128**

249

B: **138** **B 387**

C1:

Casc. C1:

C3:

Casc. C3:

C5:

Casc. C5:

C: **409**

Casc. C: **108**

301

D: **138** **D 439**

UC1: **120** **468**

	Leinentyp
LC: 295	DC000-0320
348	
TG: 53	DC000-0320
Haupt-LC: 	
Haupt-TG: 	
Flare-LC: 	
Flare-TG: 	

UC2: **120** **468**

UC3: **120** **468**

UC4:

UC5: **120** **468**

UC6:

UC7:

Ausgabe / Revision	1				ID-Nr.
Datum	04-2004				LPE - 10 / 20 - FB
Erstellt	Rokobauer				
Geprüft u. genehmigt	Schumann				

Schirmtyp: **BALANCE** Größe: **210 / SP**

ROT=von unten gemessen

Leinentyp: **41000-1500**

A1:

Casc. A1:

A3:

Casc. A3:

A5:

Casc. A5:

A: **365**

Casc. A: **123** **242**

B: **133** **B 375**

C1:

Casc. C1:

C3:

Casc. C3:

C5:

Casc. C5:

C: **395**

Casc. C: **105** **290**

D: **133** **D 423**

UC1: **115** **448**

LC:	 280	Leinentyp
	333	DC000-0320

UC2: **115** **448**

TG:	 53	DC000-0320
------------	--	-------------------

UC3: **115** **448**

Haupt-LC:		
------------------	--	--

UC4:

Haupt-TG:		
------------------	--	--

UC5: **115** **448**

Flare-LC:		
------------------	--	--

UC6:

Flare-TG:		
------------------	--	--

UC7:

Ausgabe / Revision	1				ID-Nr.
Datum	04-2004				LPE - 10 / 20 - FB
Erstellt	Rokobauer				
Geprüft u. genehmigt	Schumann				

Schirmtyp: **BALANCE** Größe: **190 / SP**

ROT=von unten gemessen

Leinentyp: **41000-1500**

A1:

Casc. A1:

A3:

Casc. A3:

A5:

Casc. A5:

A: **366**

Casc. A: **124** **242**

B: **135** **B 377**

C1:

Casc. C1:

C3:

Casc. C3:

C5:

Casc. C5:

C: **396**

Casc. C: **108** **288**

D: **135** **D 423**

UC1: **104** **450**

LC: 293	Leinentyp
346	DC000-0320

UC2: **104** **450**

TG: 53	DC000-0320
---	-------------------

UC3: **104** **450**

Haupt-LC: 	
---	--

UC4:

Haupt-TG: 	
---	--

UC5: **104** **450**

Flare-LC: 	
---	--

UC6:

Flare-TG: 	
---	--

UC7:

Ausgabe / Revision	1				ID-Nr.
Datum	04-2004				LPE - 10 / 20 - FB
Erstellt	Rokobauer				
Geprüft u. genehmigt	Schumann				

Schirmtyp: **BALANCE** Größe: **170 / SP**

ROT=von unten gemessen

Leinentyp: **41000-1500**

A1:

Casc. A1:

A3:

Casc. A3:

A5:

Casc. A5:

A: **348**

Casc. A: **118** **230**

B: **128** **B** **358**

C1:

Casc. C1:

C3:

Casc. C3:

C5:

Casc. C5:

C: **376**

Casc. C: **103** **273**

D: **128** **D** **401**

UC1: **102** **435**

LC: **280** **DC000-0320**

333

UC2: **102** **435**

TG: **53** **DC000-0320**

UC3: **102** **435**

Haupt-LC:

UC4:

Haupt-TG:

UC5: **102** **435**

Flare-LC:

UC6:

Flare-TG:

UC7:

Leinentyp

Ausgabe / Revision	1				ID-Nr.
Datum	04-2004				LPE - 10 / 20 - FB
Erstellt	Rokobauer				
Geprüft u. genehmigt	Schumann				

Schirmtyp: **BALANCE**

Größe: **150 / SP**

ROT=von unten gemessen

Leinentyp: **41000-1500**

A1:

Casc. A1:

A3:

Casc. A3:

A5:

Casc. A5:

A: **322**

Casc. A: **109**

213

B: **119** **B 332**

C1:

Casc. C1:

C3:

Casc. C3:

C5:

Casc. C5:

C: **348**

Casc. C: **94**

254

D: **119** **D 373**

UC1: **96** **402**

LC: **253**

Leinentyp

DC000-0320

UC2: **96** **402**

TG: **53**

DC000-0320

UC3: **96** **402**

Haupt-LC:

UC4:

Haupt-TG:

UC5: **96** **402**

Flare-LC:

UC6:

Flare-TG:

UC7:

Ausgabe / Revision	1				ID-Nr.
Datum	04-2004				LPE - 10 / 20 - FB
Erstellt	Rokobauer				
Geprüft u. genehmigt	Schumann				